



**BUREAU
VERITAS**

TEST REPORT

LAB NO. : (9311)215-0438 Revised
 DATE : Aug 11, 2011
 REVISED DATE : Aug 12, 2011
 PAGE : 1 OF 7

APPLICANT : FLASHBAY ELECTRONICS (SHENZHEN) CO., LTD
 3-5/F, BLDG B, XIFENGCHENG INDUSTRIAL PARK,
 NO.2FUYUAN RD, 2ND HIGH-TECH AREA, HEPING,
 FUYONG, BAOAN, SHENZHEN 518103, GUANGDONG
 PROVINCE, P.R.CHINA

CONTACT PERSON : Henry Guo

DATE OF SUBMISSION : Aug 03, 2011

TEST PERIOD : Aug 03, 2011 to Aug 11, 2011

NO. OF WORKING DAY(S) : 7

SAMPLE DESCRIPTION : Alu Series USB Flash Drive
 Style Number: AL
 Color: Green
Manufacturer: 天目电子(深圳)有限公司
 深圳市宝安区福永街道和平高新二期福园
 二路西丰成工业园 B 栋 3, 4, 5 楼

SUMMARY OF TEST RESULTS

TEST REQUESTED	PASS	FAIL	REMARK
Restriction of Hazardous Substances Directive (RoHS), 2011/65/EU	X		

RW

**Bureau Veritas Consumer Products Services
(Guangzhou) Co.,Ltd**
 No. 183, Shinan Road, Meilin Plaza Block B, Dongchong,
 Panyu, Guangzhou, Guangdong Province, China 511453
 Tel: (86) 20 2290 2088 Fax:(86) 20 3490 9303
 Email: BVCPS_pyinfo@cn.bureauveritas.com
 Website:cps.bureauveritas.com

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.mtl-acts.com> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.


The content of this PDF file is in accordance with the original issued reports for reference only.
 This Test Report cannot be reproduced, except in full, without prior written permission of the company.



LAB NO. : (9311)215-0438-R1
DATE : Aug 11, 2011
PAGE : 2 OF 7

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (GUANGZHOU) CO., LTD

PREPARED BY : Yaokun Liang

APPROVED BY: 

CHARLES WONG
ANALYTICAL LAB MANAGER



JOEIE TSANG
REGIONAL LABORATORY DIRECTOR

REMARK

If there are questions or concerns on this report, please contact the following persons:

- a) Technical enquiry (86) 20 22902088 - 392 (386)
analytical-TS.PY@cn.bureauveritas.com
- b) General enquiry (86) 20 22902088 – 378(322)/(215)
analytical-enquiry.PY@cn.bureauveritas.com

Bureau Veritas Consumer Products Services (Guangzhou) Co.,Ltd
Address: No.183, Shi Nan Road, Mei Lin Plaza Block B, Dong Chong, 511453
Pan Yu, Guangzhou, Guang Dong, China
Tel : (86)20-22902088 Fax : (86)20-22902098
Email: BVCPS_pyinfo@cn.bureauveritas.com
Website: www.bureauveritas.com/cps



LAB NO. : (9311)215-0438-R1
DATE : Aug 11, 2011
PAGE : 3 OF 7

Photo of the Submitted Sample



Report Number
(9311)215-0438



LAB NO. : (9311)215-0438-R1
 DATE : Aug 11, 2011
 PAGE : 4 OF 7

TEST RESULT

Restriction of Hazardous Substances Directive (RoHS), 2011/65/EU





Test Item	Description	Test Results (ppm)				
		Pb	Hg	Cd	Cr VI	PBBs & PBDEs
1	Silvery metal (case)	ND	ND	ND	ND	NA
2	Transparent plastic(cover, lamp)	ND	ND	ND	ND	ND
3	Silvery metal (ring, case)	ND	ND	ND	ND	NA
4	Silvery metal (connector, case)	ND	ND	ND	ND	NA
5	Translucent adhesive (case)	ND	ND	ND	ND	ND
6	Silvery metal (case, USB plug)	ND	ND	ND	ND	NA
7	Silvery plated golden metal (pin, USB plug)	ND	ND	ND	ND	NA
8	Black plastic (pin holder, USB plug)	ND	ND	ND	ND	ND*
9	Black/ white body (SMD resistor, PCB)	2050* [#]	ND	ND	ND	ND
10	Brown body(capacitor, PCB)	ND	ND	ND	ND	ND
11	Grey body (capacitor, PCB)	ND	ND	ND	ND	ND
12	White body (capacitor, PCB)	ND	ND	ND	ND	ND
13	Transparent/ green/ white/ golden body (LED, PCB)	ND	ND	ND	ND	ND
14	Dull silvery plated white body (EC, PCB)	ND	ND	ND	ND*	ND
15	Black body (large IC, PCB)	ND	ND	ND	ND	ND
16	Silvery body (small IC, PCB)	ND	ND	ND	ND	NA
17	Black body (small IC, PCB)	ND	ND	ND	ND	ND
18	Silvery plated coppery metal (pins, small IC, PCB)	ND	ND	ND	ND	NA
19	Silvery solder (PCB)	ND	ND	ND	ND	NA
20	White green grey with printed coated plastic coppery (PCB)	ND	ND	ND	ND	ND*
21	Transparent green plastic (case)	ND	ND	ND	ND	ND

For item 9:

[#] According to Annex III of European Council Directive 2011/65/EU, exemptions were granted a few materials and Clause 7(c)-I is reiterated here "Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.". Test Item(s) 9 was (were) claimed as is by client (received as is). Therefore, this (these) Test Item(s) containing the found lead level should be exempted.

TEST RESULT

Restriction of Hazardous Substances Directive (RoHS), 2011/65/EU

Photograph(s) of tested components	
	
	



LAB NO. : (9311)215-0438-R1
DATE : Aug 11, 2011
PAGE : 6 OF 7

Note:

Detection limits of XRF and wet chemistry methods for regulated substances in various matrices and limit of RoHS (in ppm)

Regulated Substances	Detection Limit (ppm)				RoHS' Limit (ppm)
	XRF			Wet Chemistry	
	Plastics	Metals	Electronics		
Pb	100	200	200	10	1000
Hg	100	200	200	10	1000
Cd	50	50	50	10	100
Cr	100	200	200	NA	NA
Cr VI	NA	NA	NA	10	1000
Br	200	NA	200	NA	NA
PBBs <i>Bromobiphenyls</i> <i>Dibromobiphenyls</i> <i>Tribromobiphenyls</i> <i>Tetrabromobiphenyls</i> <i>Pentabromobiphenyls</i> <i>Hexabromobiphenyls</i> <i>Heptabromobiphenyls</i> <i>Octabromobiphenyls</i> <i>Nonabromobiphenyls</i> <i>Decabromobiphenyl</i>	NA	NA	NA	50 (each)	1000 (sum)
PBDEs <i>Bromodiphenyl ethers</i> <i>Dibromodiphenyl ethers</i> <i>Tribromodiphenyl ethers</i> <i>Tetrabromodiphenyl ethers</i> <i>Pentabromodiphenyl ethers</i> <i>Hexabromodiphenyl ethers</i> <i>Heptabromodiphenyl ethers</i> <i>Octabromodiphenyl ethers</i> <i>Nonabromodiphenyl ethers</i> <i>Decabromodiphenyl ether</i>	NA	NA	NA	50 (each)	1000 (sum)

ppm = mg/kg

< = less than

ND = not detected

NA = not applicable

L = low risk materials, no conflict with RoHS directive accordance to the UK Department of Trade and Industry RoHS compliance procedure

Pb = Lead

Hg = Mercury

Cd = Cadmium

Cr = Chromium

Br = Bromine

PBBs = Polybrominated Biphenyls

PBDEs = Polybrominated Diphenyl Ethers

Test Method:

1. XRF Screening - IEC 62321:2008, "Electrotechnical Products- Determination of Levels of Six Regulated Substances" (Chapter 6) or;
2. Wet Chemistry Tests – Reference to IEC 62321:2008, "Electrotechnical Products- Determination of Levels of Six Regulated Substances":
 - i. Lead (Pb) and Cadmium (Cd): The sample is comminuted and digested with acid mixtures. Pb/ Cd contents are determined with ICP-AES technique. (Chapter 8, 9 & 10)
 - ii. Mercury (Hg): The sample is comminuted and digested with acid mixtures. Hg content is determined with ICP-AES, ICP-MS or AAS-VGA technique. (Chapter 7)
 - iii. Chromium (VI):
 - A. Metal: Qualitative method for the presence of hexavalent chromium on metal surface on "Test for the presence of Hexavalent Chromium (Cr (VI)) in colourless and coloured corrosion-protection coatings on metals". The presence of hexavalent chromium is indicated by the formation of a red to violet color. The method is applied in turn to 1) untreated surface; 2) surface got by gently rubbing to scratch possibly reduced chromate surface but without completely removing the whole coating layer; 3) surface got by forcibly scratching into the deeper layers, even reaching the substrate. The sample is further verified by boiling water extraction method if the result of spot test shows ahead is negative or uncertain. (Annex B)
 - B. Plastics & Electronics : The sample is comminuted and digested with alkaline mixtures. Chromium VI content is determined with UV-VIS spectroscopic technique. (Annex C)
 - iv. PBBs and PBDEs: The sample extracted by appropriate solvent is used for extraction and quantified GC-MS. (Annex A)
3. The testing approach reference to:
 - i. "RoHS Enforcement Guidance Document version 1" by EU RoHS Enforcement Authorities Informal Network (May 2006),
 - ii. "RoHS Regulations – Government Guidance Notes" by Department of Trade and Industry, UK (Jan 2007), and
 - iii. "RoHS substances (Hg, Pb, Cr(VI), Cd, PBB and PBDE) in electrical and electronic equipment in Belgium" by Belgium Federal Public Service, Health, Food Chain Safety and Environment, Belgium (Nov 2005)



LAB NO. : (9311)215-0438-R1
DATE : Aug 11, 2011
PAGE : 7 OF 7

Remark:

1. Test results marked with * are determined by wet chemistry. Others are screened by XRF.
2. Positive means the presence of hexavalent chromium on the tested areas. It is regarded as in conflict with RoHS requirements. According to the IEC 62321, the principle of this method was evaluated and supported by two studies organized by IEC TC111 WG3. The studies were focused on detecting the presence of Cr(VI) in metallic samples.
3. For XRF screening, the reported Chromium VI result is determined as total chromium, and Polybrominated Biphenyls (PBBs) and Polybrominated Diphenyl Ethers (PBDEs) results are determined as total bromine.
4. Only selected example(s) is/ are indicated on the above photograph.
5. The above results of item 1-20 are transferred from (9311)215-0428 dated on Aug 11, 2011.

END